PRIUSOVERLANDING.COM ROOF RACK INSTALLATION GUIDE

2010-2015 TOYOTA PRIUS



All products built and designed by PriusOverlanding.com are intended for off-road use and should be assembled, installed, and used according to PriusOverlanding.com's recommendations. PriusOverlanding.com products should be used safely with good judgment towards others and the environment. By installing PriusOverlanding.com Products on your vehicle you assume all liability. PriusOverlanding.com will not be held liable for damages or loss associated with the installation or use of its products.

LOW PROFILE ROOF RACK INCLUDED HARDWARE

	¼”-20 X 1 TORX SCREW	24
	¼”-20 X 1 ½: TORX SCREW	12
	½" FLAT WASHER	36
	RIVNUT	12
	METAL SPACER	12
	DROP-IN NUT WITH HANDLE	6
	CROSS BAR	6
	SIDE RAIL	2
	WIND DEFLEDTOR	1

SPECIAL REQUIRED TOOLS NEEDED

25/64" DRILL BIT
RIVNUT TOOL SLIM ENOUGH TO FIT INTO ROOF RAIN CHANNEL

All products built and designed by PriusOverlanding.com are intended for off-road use and should be assembled, installed, and used according to PriusOverlanding.com's recommendations. PriusOverlanding.com products should be used safely with good judgment towards others and the environment. By installing PriusOverlanding.com Products on your vehicle you assume all liability. PriusOverlanding.com will not be held liable for damages or loss associated with the installation or use of its products.
V1.0.20211201

PRIUSOVERLANDING.COM ROOF RACK INSTALLATION GUIDE

INSTRUCTIONS

		
ASSEMBLE ROOF RACK. DO NOT TIGHTEN THE SIDE RAIL BOLT ALL OF THE WAY	SET ROOF RACK ON VEHICLE AND POSITION INTO DESIRED LOCATION, THEN MARK DRILL HOLES	DRILL OUT TO 25/64" ALL NEEDED HOLES TO ACCEPT RIVENUTS
		
APPLY A SMALL AMOUNT OF SILICON AROUND HOLES BEFORE INSTALLING RIVNUTS	PLACE RIVNUTS IN ROOF	COMPRESS THE RIVNYT BY USING RIVNUT TOOL

All products built and designed by PriusOverlanding.com are intended for off-road use and should be assembled, installed, and used according to PriusOverlanding.com's recommendations. PriusOverlanding.com products should be used safely with good judgment towards others and the environment. By installing PriusOverlanding.com Products on your vehicle you assume all liability. PriusOverlanding.com will not be held liable for damages or loss associated with the installation or use of its products.

PRIUSOVERLANDING.COM ROOF RACK INSTALLATION GUIDE

APPLY SILICONE OVER THE RIVNUT BEFORE PLACING THE SPACER INTO PLACE TO ENSURE A WATERTIGHT SEAL	ONCE ALL OF THE SPACERS ARE DOWN AND THE ROOF RACK IS IN PLACE, TIGHTEN THE MOUNTING BOLTS	DOUBLE-CHECK ALL FASTENERS FOR APPROPRIATE TIGHTNESS
	CHECK PERIODICALLY THERE AFTER TO ENSURE FULL FUNCTIONALITY OF YOUR ROOF RACK.	

All products built and designed by PriusOverlanding.com are intended for off-road use and should be assembled, installed, and used according to PriusOverlanding.com's recommendations. PriusOverlanding.com products should be used safely with good judgment towards others and the environment. By installing PriusOverlanding.com Products on your vehicle you assume all liability. PriusOverlanding.com will not be held liable for damages or loss associated with the installation or use of its products.

WARRANTY

PRIUSOVERLANDING.COM will warranty all PRIUSOVERLANDING.COM manufactured parts for a LIFETIME of use. This limited Lifetime Warranty is effective for as long as the original retail purchaser owns the product. This warranty terminates when the original retail purchaser sells or otherwise transfers the product to any other person. Each manufactured product must be installed following PRIUSOVERLANDING.COM'S recommended fitment and installation procedures. Any customization or modification to the original product design, functionality, or use, either by said customer or by PRIUSOVERLANDING.COM voids all warranty eligibility. It is the sole discretion of PRIUSOVERLANDING.COM to determine warranty eligibility. Subject to the limitations and exclusions described in this warranty, PRIUSOVERLANDING.COM will remedy defects in materials or workmanship by repairing or replacing, at its option, a defective product without charge for parts. In addition, PRIUSOVERLANDING.COM may elect, at its option, not to repair or replace a defective product but rather issue to a purchaser a refund equal to the purchase price paid for the product or a credit to be used toward the purchase of a new PRIUSOVERLANDING.COM product. No warranty is given for defects caused by normal wear and tear, cosmetic rust scratches, accidents, unlawful vehicle operation, products used for racing or competition, or modification of, or any types of repair of, a PRIUSOVERLANDING.COM manufactured product. The PRIUSOVERLANDING.COM Warranty does not include the powder coated finish. No warranty is given for defects resulting from conditions beyond PRIUSOVERLANDING.COM'S control including, but not limited to, misuse, neglect, overloading, improperly maintained or failure to assemble, mount or use the product in accordance with PRIUSOVERLANDING.COM'S written instructions or guidelines included with the product or implied use made available to the purchaser.

DISCLAIMER OF LIABILITY REPAIR OR REPLACEMENT OF A DEFECTIVE PRODUCT OR THE ISSUANCE OF A REFUND OR CREDIT (AS DETERMINED BY PRIUSOVERLANDING.COM) IS A PURCHASER'S EXCLUSIVE REMEDY UNDER THIS WARRANTY. DAMAGE TO A PURCHASER'S VEHICLE, CARGO AND/OR TO ANY OTHER PERSON OR PROPERTY IS EXCLUDED.THIS WARRANTY IS EXPRESSLY MADE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.PRIUSOVERLANDING.COM'S SOLE LIABILITY TO ANY PURCHASER IS LIMITED TO THE REMEDY SET FORTH ABOVE. IN NO EVENT WILL PRIUSOVERLANDING.COM BE LIABLE FOR ANY LOST PROFITS, LOST SALES, OR FOR ANY CONSEQUENTIAL, DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES OR FOR ANY OTHER DAMAGES OF ANY KIND OR NATURE

All products built and designed by PriusOverlanding.com are intended for off-road use and should be assembled, installed, and used according to PriusOverlanding.com's recommendations. PriusOverlanding.com products should be used safely with good judgment towards others and the environment. By installing PriusOverlanding.com Products on your vehicle you assume all liability. PriusOverlanding.com will not be held liable for damages or loss associated with the installation or use of its products.